

Risk Assessment on Cloud Computing for The Learning System in The Education Environment

by maniah maniah

Submission date: 22-Aug-2019 11:21AM (UTC+0700)

Submission ID: 992785004

File name: Tale_2019-Paper-Maniah.doc (1.51M)

Word count: 4215

Character count: 22194

Risk Assessment on Cloud Computing for The Learning System in The Education Environment

Article Error (ETS)

3 Maniah
Computer Science Department, BINUS Graduate Program -
Doctor of Computer Science, Bina Nusantara University
Jakarta, Indonesia 11480
maniah@poltekpos.ac.id

Ford Lumban Gaol
Computer Science Department, BINUS Graduate Program -
Doctor of Computer Science, Bina Nusantara University
Jakarta, Indonesia 11480
ford.gaol@gmail.com

2 Benfano Soewito
Computer Science Department, BINUS Graduate Program -
Doctor of Computer Science, Bina Nusantara University
Jakarta, Indonesia 11480
benfano@gmail.com

Edi Abdurachman
Computer Science Department, BINUS Graduate Program -
Doctor of Computer Science, Bina Nusantara University
Jakarta, Indonesia 11480
edia@binus.edu

Abstract— Purpose - Cloud computing as a service facility in online learning systems provides good solutions for educational institutions. Reasons for educational institutions to use cloud computing as a means of learning include cloud service providers providing sizable hardware and software resources, so educational institutions do not have to pay a large amount of money to buy hardware and software as an investment. But as long as this online learning system runs there will definitely be risks, for example performance problems from internet network connections. This study aims to discuss this problem. **Methodology/approach** - In this study, firstly identifying dangerous or harmless activities to the activities carried out in cloud computing, then determining the impact, aspects, likelihood and severity of risks, and finally determining the level of risk from these activities using a risk matrix. **Finding** - By using a risk register in the learning system, risk analysis and evaluation can show the Incident, Cause, impact, risk type, risk category, aspect, likelihood, severity, and risk level for each dangerous or non-hazardous activity. **Originality/value** - The tools used to measure the level of risk for dangerous or non-hazardous activities for the learning system can be used for more extensive research aimed at measuring institutional-level risks in the education sector.

Keywords—risk assessment, learning system, risk register, risk level

I. INTRODUCTION

Cloud Computing is a subscription-based service where service users can obtain network storage space and computer resources from service providers by using internet connections as access media [1]. Cloud computing technology certainly provides many benefits for companies as users of cloud services, so it is possible that many companies will soon switch from intranet applications (On-Premise Software) to Cloud Computing, but besides that it also raises a variety of security and confidential issues that need to be considered [2].

Cloud Computing Security is a domain of information security that refers to a series of policies, technologies, and controls used to protect data, applications, and related Cloud Computing infrastructure [3]. The way to maintain security against cloud computing infrastructure from external threats is by maintaining access [4]. When we are going to switch to Cloud Computing technology, as stated by [5], is to provide initial signs for users in making good decisions for migrating to cloud computing, while explaining about the processes that must be done. And when the process of migrating to the cloud has been done, of course the next problem is how to

maintain the security of our information to avoid threats from outside that can damage the company's reputation [6]. Including how the strategies and procedures for cloud migration are also a concern for cloud users [7].

Cloud computing in the education environment is nothing new, such as the use of email which has a top-level domain extension .edu means the name of a domain for educational sites. Another example of cloud computing for education is the use of virtual machines and e-learning services [8].

Online learning systems require a lot of hardware and software resources provided by cloud computing services [9]. This is certainly a serious concern for educational institutions that implement it. Including the risk problems that may arise during the online learning system process. To answer this problem, it is necessary to conduct a risk assessment of the online learning system process in the educational environment, which aims to provide information to the leaders of educational institutions whether the activities in this online learning system have low, medium or high risk.

This paper presents a reference in calculating the risk of information technology in cloud computing for education.

This paper is structured with the following writing structure. Section 2 provides information related to risk assessment process and cloud computing for education. In the second part, it also reviews existing papers and analyzes the processes used in risk assessment in the context of cloud computing. Section 3 explains the methodology used in this study. In section 4 explains the risk assessment process on cloud computing for education. The conclusions of this paper convey the steps in the risk assessment process and submit our next research plan delivered at the end of this paper.

II. FUNDAMENTAL CONCEPT

A. Risk Assessment

Risk is a variation of the possibility of an event and consequence [10]. In everyday life the risk is always there, the risk cannot be eliminated but the possibility of the emergence of risks can be reduced as small as possible. Risk can mean a process that includes the process of identifying hazards according to their nature, the likelihood of

occurring, their potential impact, then can be assessed and controlled [11].

In general, risk assessment is part of the risk management process, as described in the ISO 31000-2018 standard, that the risk management process includes: (1) communication and consultation, (2) scope, context and criteria, (3) risk assessment, (4) risk treatment, (5) monitoring and review, (6) recording and reporting [12].

Risk assessment is more likely to use quantitative methods, where the assessment is based on the magnitude of the possibility of the occurrence of risks, and the impact of risk, which can be used by decision makers to determine the prevention cost plan and the necessary resources.

In detail the risk assessment can be divided into 3 stages, namely: [12]

1. Risk identification
This stage determines the risk factors that are the main causes of the emergence of risks and risk categories.
2. Risk analysis
This stage determines risk characteristics including the level of risk and control.
3. Risk evaluation
Risk evaluation is used to help determine decisions based on comparison of the results of risk analysis with predetermined risk categories.

B. Cloud Computing

Cloud Computing is an innovative technology that can provide data transaction facilities for manufacturing, financial, distribution, sales, customer service activities that can share information and work with trading partners [13].

The National Institute of Standards and Technology (NIST) provides an example of Cloud Computing services for all three services that are in the cloud (PaaS, SaaS, IaaS), as shown in figure 1 below:




Fig. 1. Cloud Computing Services [14]

Cloud Computing technology revolution provides many benefits for the organization, but on the other hand there is a paradigm shift that causes security and privacy problems that must also be considered [2]. Despite the many benefits provided by Cloud Computing, there are still many companies or individuals who do not want to apply this innovative technology, this is due to many issues of security, privacy and trust [15]. Companies, businesses, government institutions, transportation systems, hospitals, and in some cases, even power plants around the world have been affected by high-level cyber attacks in 2017 [16]. The

closest threat to the organization is the presence of cyber attacks [17].

C. Cloud Services for Education Environment

Cloud computing provides sophisticated innovations in the world of education, for example with e-learning systems. Cloud computing services implemented in education for Infrastructure as a Service (IaaS) services are mostly for creation of customized on-demand virtual machines, while for Platform as a Service (PaaS) services such as servlet container platforms, while for Software as a service Services (SaaS) such as using email, web servers, collaborative workspaces [8].

Research conducted by [18] Create an architecture in the cloud environment for education as shown in Figure 2 below:




Fig. 2. Architecture on Cloud Computing for Education [18]

From Figure 2 we can see that IaaS is the foundation of all cloud services, containing APIs that will manage interactions with user infrastructure.

The cloud computing architecture for education developed is a guide for decision making in education to migrate to the cloud. Migration strategies that are usually used in an educational environment start from: [19]

- a. Develop a knowledge base about Cloud computing;
- b. Evaluating the present stage of university from the point of view IT needs, structure and use;
- c. Experimenting with Cloud Computing solution;
- d. Choose a Cloud Computing solution;
- e. Implementation and management Cloud Computing Solution.

After migration to the cloud, the hope is to be able to ensure that learning and teaching become more interactive, but in fact the challenges of cloud services must be faced by users in the education environment. Some challenges include: security, data privacy, insufficient network, and data handling [20]. If we discuss the challenges of cloud computing, we can almost meet in several sectors, such as challenges or failures in implementing cloud computing in the following organizations or institutions:

1. There is failure in the use of digital forensic, this is because the cloud works on wireless networks and all of its resources are distributed, this is not suitable for digital forensics [21].

2. One of the largest cloud service providers in the world is China, but for cloud technology users in China, for example online gaming fields are still skeptical of services from the cloud because there is still a lack of transparency regarding data security in the cloud [22].
3. Surveys in several institutions in Indonesia (LKPP, BIG, BPPT Institute of Science and Technology and the Ministry of Communication and Information) that have implemented cloud computing, from the 4 agencies said that the lack of cloud service providers is the unavailability of dashboards for service settings especially for IaaS and PaaS services [23].

III. METHODOLOGY

The steps undertaken in this study begin with (1) Identifying an activity; (2) Determine the impact, aspects, likelihood and severity of each activity; (3) Determine the level of risk.

Identifying an activity carried out by functions that exist in the organization. The activity was chosen based on dangerous or harmless. From each activity selected, then determine what impact will arise due to the activity, what aspects affect the activity, then determine the level of its likelihood criteria, and determine the severity of the risk. The final step is to determine the level of risk by mapping the likelihood of risk to the severity of the risk using a risk matrix. The steps undertaken in this study can be illustrated as shown in Figure 3 below:



Fig. 3. Methodology

IV. RISK ASSESSMENT PROCESS ON CLOUD COMPUTING

This section will explain some of the meanings of risk assessment in the context of the cloud. The explanations presented here are the results of a survey of papers related to the risk assessment process in the cloud environment.

A. Related work

Risk management is intended for stakeholders in the company to create value and to protect assets, besides that it can be in the form of compliance with the rules that apply. In general, the risk management process based on the ISO 30001: 2018 standard is shown in the following figure 4:



Fig. 4. Risk Management Process [12]

As done by [11] conducting surveys and analyzing of several risk assessment models with the aim of providing a reference to cloud service users in assessing risk when deciding to migrate to cloud computing environments.

Although this approach is enough to help cloud users in making decisions to migrate to cloud computing, but here is still less transparent in the process of calculating the value of risk that appears both before and after migration to cloud computing, so there is still no risk gap that occurs.

The next risk assessment process can be seen in the risk management framework created by [5], where the framework created aims to assist cloud service users in making decisions when migrating to cloud computing environments. In the risk assessment process, it is explained how to identify risks, then conduct a risk analysis by calculating the risk value determined by the average value of risk factors. Unlike the case in [24], his research [24] conducts risk assessments in selecting certain cloud service providers (CSPs) based on security, privacy and service risks to users. This model is enough to help cloud users to decide which cloud service provider to choose according to the safest level of risk for cloud service users.

Specifically, risk assessment from [25] with a quantitative approach is carried out on infrastructure security and cloud services, where risk assessment is based on: (i) Service assessment, (ii) Config assessment, and (iii) Image assessment. The results of this risk assessment produce scores from Common Vulnerability and Exposures (CVE), Impact, Likelihood, and Criticality. Whereas in [26] it is more specific to carry out risk assessments of security in the context of cloud computing. The risk assessment model developed adopts a number of pre-existing risk assessment models, but is more focused on security in the cloud computing environment, so cloud service providers and cloud service users can jointly maintain security in the cloud environment.

Furthermore, in [27] defines there are seven steps in the risk assessment process in the cloud environment, namely:

1. risk inventory
2. vulnerability identification
3. threat identification
4. Monitoring data
5. event Analysis
6. Quantitative Risk Analysis (risk of event calculation and risk aggregation)
7. assessed risk - Decision making

The above processes are somewhat different from several processes that have been proposed by other researchers. The approach used in this risk assessment process is a combination of qualitative and quantitative. For a quantitative approach, it is used to calculate risks based on vulnerabilities and threats on an asset.

B. Analysis of risk assessment process

From several papers related to the risk assessment process in the Cloud context, model approaches are used: (i) qualitative, (ii) semi quantitative, or there are also (iii) a combination of qualitative and semi-quantitative.

Especially for papers that use a semi quantitative model approach, the following are given the different models used:

1. This first model is used to calculate the risk value of an asset based on its vulnerability and threat [27]:

a. the likelihood of threats to vulnerability can be defined as follows:

$$L_{j,i} = (T_j, V_i) \quad (1)$$

Where: L is the likelihood value, T is the threat and V is the vulnerability value.

b. Furthermore, the general risk value can be calculated by:

$$R_{j,i} = L_{j,i} * I_i \quad (2)$$

Where: R is the risk value of an asset, L is the likelihood value, and I is the impact of the risk.

c. For each asset, the risk value can be calculated as follows:

$$RE = 1 - \prod_{j=1}^m (1 - R_{j,i}) \quad (3)$$

Where: E is the element of risk to each asset.

d. Finally, calculate of the aggregate risk of all individual risks:

$$R_{agg} = 1 - (RE1 * RE2 * ... REk) \quad (4)$$

R_{agg} is the aggregate risk value of all individual risks.

2. The model used to calculate the total risk value (net risk calculate) [5]:

$$ri = P(ri) * I_i \quad (1)$$

$$R_i = \frac{1}{n} \sum \{ri1, ri2, \dots, rin\} \quad (2)$$

Where: ri is the value of the risk factor, $P(ri)$ is the risk factor probability, I_i risk impact, $ri1, \dots$, is an influential risk factor. So that R_i can finally be calculated, namely the value of risk.

3. The next model is used to calculate the level of risk and the level of risk control [6]:

a. First determine the type of threat to an activity, its vulnerability, and damage, then calculate the risk

value based on the probability of the level of vulnerability, the probability of the threat level, and the level of damage:

$$R = p(T)p(V)D \quad (1)$$

Where: R the risk value of an asset, $p(T)$ is the probability of the threat level, $p(V)$ is the probability of the level of vulnerability, and D is the level of damage.

b. Next, calculated the value of the level of risk control by adding the existing risk control.

$$R = \frac{p(T)p(V)D}{Kc} \quad (2)$$

Where: R is the risk value after adding the control value, Kc is the control value of the asset.

Based on several formulas for calculating risk in the cloud context above, it can be concluded that the elements or components used in calculating risk are:

1. Level of risk vulnerability [6], [27]
2. Risk threat level [6], [27]
3. Value of risk factors [5]
4. Value of the impact of risk [5]
5. Level of risk of damage [6]
6. Level of risk control [6]

C. Risk assessment process for education

The risk assessment process for education aims to determine the level of risk based on the Likelihood of Risk and Severity of Risk, where to know the likelihood of risk is seen based on likelihood criteria, while the severity of risk is seen based on the criteria of risk impact. Risk impact criteria are the level of impact that occurs based on its aspects, where the component aspects can be: performance, financial, reputation, confidentiality of information and human resources. While the likelihood criterion is the level of qualitative criteria based on frequency of occurrence. Table 1 shows the existing risk impact criteria, and table 2 shows the likelihood criteria.

TABLE I. RISK IMPACT CRITERIA

Level	Impact	Aspect				
		Performance	Financial	Reputation	Confidentiality of information	Human resources
1	Very small	1. Achievement of Target $\leq 90\%$ 2. Pending Work max. 1 week 3. Declining Performance $\leq 90\%$	1. Financial loss < USD 100 2. Additional costs \leq USD 100	Verbal complaints through the hotline	Don't lose the database	Annual employee turnover <10%
2	Small	1. Achievement of Target $\leq 70\%$ 2. Pending Work max. 4 week 3. Declining Performance $\leq 70\%$	1. Financial loss < USD 200 2. Additional costs \leq USD 200	Complaints via email	Database loss permanently > 10%	Annual employee turnover <20%
3	Medium	1. Achievement of Target $\leq 50\%$ 2. Pending Work max. 8 week 3. Declining Performance $\leq 50\%$	1. Financial loss < USD 500 2. Additional costs \leq USD 500	Complaints through local media	Permanently lost database > 20 %	Annual employee turnover <30%
4	Large	1. Achievement of Target $\leq 30\%$ 2. Pending Work max. 12 week 3. Declining Performance $\leq 30\%$	1. Financial loss < USD 1000 2. Additional costs \leq USD 1000	Complaints through online media and / or lawsuits	Permanent database loss $\geq 30\%$	There was a mass strike followed by <40%
5	Very large	1. Achievement of Target $\leq 10\%$ 2. Pending Work max. 16 week 3. Declining Performance $\leq 10\%$	1. Financial loss < USD 2000 2. Additional costs \leq USD 2000	Complaints received national attention	Permanent database loss $\geq 40\%$	There was a mass strike followed by <50%

TABLE II. LIKELIHOOD CRITERIA

Level	Qualitative Criteria	Frequency
1	Rarely	At least 1 time per semester
2	Possible Small	At least 2 time per semester
3	Possible Medium	At least 3 time per semester
4	Possible Large	At least 4 time per semester
5	Almost certainly	At least 5 time per semester

The results of the mapping between risk impact criteria and likelihood criteria produce a heat map in the form of a risk matrix, as shown in Figure 5. There are 2 types of risk, namely: opportunities and threats. Opportunity is the ability to manage risk that aims to find innovation [28], threat is the possibility of vulnerability to a system that is running [25]. Risk categories include: strategy, operational, financial, people, regulator or governance.

Likelihood of Risk	Almost certainly (5)	medium	high	high	extreme	extreme
	Possible Large (4)	medium	medium	high	extreme	extreme
	Possible Medium (3)	medium	medium	high	high	extreme
	Possible Small (2)	low	medium	medium	high	extreme
	Rarely (1)	low	medium	medium	high	extreme
		Very Small (1)	Small (2)	Medium (3)	Large (4)	Very Large (5)
Severity of Risk						

Fig. 5. Risk Matrix

For example: One of the learning activities in education is the application of cloud computing to the implementation of SAP (System, Application and Product in Data Processing) software in the SAP University Alliance Program. The learning process is carried out practically in a computer laboratory that uses internet connection facilities to connect the application server with the client computer. The performance of the SAP practicum learning process is measured based on the level of risk. Measurement of the level of risk uses risk impact criteria and likelihood criteria by adding risk types and risk categories. The results of risk measurement are shown in the following table 3:

TABLE III. RISK REGISTER

No	Process/ Activity	Risk Identification					Risk Analysis & Evaluation			
		Incident	li	Impact	Risk type	Risk category	Aspect	Likelihood	Severity	Risk level
1	Implementation of SAP Certification	The process of practicum does not run according to the target in the module used.	SAP software used runs slowly, because internet traffic is very congested. Often even internet network connections are lost.	Practicum activities are hampered, not according to the learning target	Threat	Operational	Reputation	Possible Small	Very Small	Low

The results of the risk register table can then be used to periodically monitor the improvement of the learning system, so as to minimize the possibility of dangerous risks in teaching and learning activities in the field of education.

V. CONCLUSION

This paper explains the process of assessing the risk level of online learning systems that implement cloud computing in the field of education. The results of this study can provide the following conclusions:

1. In the form of risk assessment research can be done with a qualitative or quantitative approach or a combination of the two.
2. In the online learning system aspects used to determine the criteria for risk impact are performance,

financial, reputation, confidentiality of information, and human resources.

3. Risk register can be applied to measure the risk of online learning activities through risk analysis and evaluation.

VI. LIMITATION AND FUTURE RESEARCH

The results of this survey are still very limited and it is still possible to develop more perfectly. This is because the search results related to references that are very relevant to the research topic are still very limited. Therefore, this research is still very open to be developed more fully. The benefits of the results of this survey will be used as the next research reference material which will examine in more detail about information technology risk in the context of cloud computing.

REFERENCES

- [1] A. Huth and J. Cebula, "The Basics of Cloud Computing," pp. 1–4, 2011.
- [2] A. Gholami and E. Laure, "Security and Privacy of Sensitive Data in Cloud Computing : A Survey of Recent Developments," pp. 131–150, 2015.
- [3] Mahesh, "Data Security and Security Controls in Cloud Computing," pp. 11–13, 2016.
- [4] C. Esposito and A. Castiglione, "Challenges of Connecting Edge and Cloud Computing : A Security and Forensic Perspective," pp. 13–17, 2017.
- [5] I. Shareeful, S. Fenz, E. Weippl, and H. Mouratidis, "A Risk Management Framework for Cloud Migration Decision Support," 2017.
- [6] A. D. Kozlov and N. L. Noga, "Risk Management for Information Security of Corporate Information Systems Using Cloud Technology," *Elev. Int. Conf. "Management large-scale Syst. Dev. (MLSD)*, pp. 1–5, 2018.
- [7] N. Ahmad, Q. N. Naveed, and N. Hoda, "Strategy and procedures for Migration to the Cloud Computing," no. 1, p. 1, 2018.
- [8] J. Martinez, M. Lorenzo, E. Sanchez, and R. Parra, "Computers & Education Cloud computing and education : A state-of-the-art survey," vol. 80, pp. 132–151, 2015.
- [9] M. Shirzad and A. Hoseinpanah, "E-Learning Based on Cloud Computing," pp. 214–218, 2012.
- [10] N. Pa, B. JNR, R. Nor, and M. Murad, "Risk Assessment of IT Governance : A Systematic Literature Review," vol. 71, no. 2, 2015.
- [11] M. Nada, B. Youssef, B. Brahim, and R. Boubker, "Survey: Risk assessment models for cloud computing: evaluation criteria," vol. 1, pp. 3–7, 2017.
- [12] R. P. Guide, "A Risk Practitioners Guide to ISO 31000 : 2018," 2018.
- [13] E. Doherty, M. Carcary, and G. Conway, "Risk Management Considerations in Cloud Computing Adoption," no. August, 2012.
- [14] D. Keams, "Planning & Management Methods for Migration to a Cloud Environment Author :," no. 17, 2018.
- [15] I. Kateeb and M. Almadallah, "Rate the challenges / issues of the cloud on- demand model," 2014.
- [16] O. Jr, "Cloud Computing – Value Delivery by Balancing Benefits & Risks ISACA IT Governance Summit 2018," no. October, 2018.
- [17] G. Wahlgren and S. Kowalski, "IT Security Risk Management Model for Cloud Computing : A Need for a New," 2013.
- [18] V. H. Pardeshi, "Cloud Computing for Higher Education Institutes : Architecture , Strategy and Recommendations for Effective Adaptation," *Procedia Econ. Financ.*, vol. 11, no. 14, pp. 589–599, 2014.
- [19] M. Mircea and A. I. Andreescu, "Using Cloud Computing in Higher Education : A Strategy to Improve Agility in the Current Financial Crisis," vol. 2011, 2011.
- [20] R. M. Almajalid, "A Survey on the Adoption of Cloud Computing in Education Sector," pp. 1–12.
- [21] R. Neware, "Cloud Computing Digital Forensic challenges," *2018 Second Int. Conf. Electron. Commun. Aerosp. Technol.*, no. Iceca, pp. 1090–1092, 2018.
- [22] S. Chandel, T. Ni, and G. Yang, "Enterprise Cloud : its Growth & Security Challenges in," *2018 5th IEEE Int. Conf. Cyber Secur. Cloud Comput. (CSCloud)/2018 4th IEEE Int. Conf. Edge Comput. Scalable Cloud*, pp. 144–152, 2018.
- [23] F. Wildana, "Implementasi Cloud Computing di Beberapa Instansi," pp. 97–108, 2017.
- [24] E. Cayirci, A. Garaga, A. S. De Oliveira, and Y. Roudier, "Open Access A risk assessment model for selecting cloud service providers," *J. Cloud Comput. Adv. Syst. Appl.*, pp. 1–12, 2016.
- [25] E. Mostajeran, M. Nizam, M. Mydin, M. F. Khalid, B. I. Ismail, and R. Kandan, "Quantitative Risk Assessment of Container Based Cloud Platform," 2017.
- [26] S. H. Albakri, B. Shanmugam, and G. N. Samy, "Security risk assessment framework for cloud computing environments," 2014.
- [27] K. Djemame, "A Risk Assessment Framework for Cloud Computing," 2016.
- [28] T. Bekefi, M. J. Epstein, and K. Yuthas, *Managing Opportunities and Risks By*. 2008.

Risk Assessment on Cloud Computing for The Learning System in The Education Environment

ORIGINALITY REPORT

16%

SIMILARITY INDEX

7%

INTERNET SOURCES

7%

PUBLICATIONS

13%

STUDENT PAPERS

PRIMARY SOURCES

- 1** Submitted to International Islamic University Malaysia
Student Paper 1%
- 2** Evaristus Didik Madyatmadja, Edi Abdurachman, Ford Lumban Gaol, Bonifasius W. Pudjianto, Manik Hapsara. "Potential Impact of Social Media to Support Government Services in Jakarta Smart City", 2018 International Conference on Information Management and Technology (ICIMTech), 2018
Publication 1%
- 3** Submitted to Binus University International
Student Paper 1%
- 4** Submitted to Christchurch Polytechnic Institute of Technology
Student Paper 1%
- 5** A. D. Kozlov, N. L. Noga. "Risk Management for Information Security of Corporate Information Systems Using Cloud Technology", 2018 1%

Eleventh International Conference
"Management of large-scale system
development" (MLSD, 2018)

Publication

6	Submitted to Nanyang Technological University, Singapore Student Paper	1%
7	Submitted to Laureate Higher Education Group Student Paper	1%
8	Sameer Hasan Albakri, Bharanidharan Shanmugam, Ganthan Narayana Samy, Norbik Bashah Idris, Azuan Ahmed. "Security risk assessment framework for cloud computing environments", Security and Communication Networks, 2014 Publication	<1%
9	Submitted to BITS, Pilani-Dubai Student Paper	<1%
10	Submitted to Arizona State University Student Paper	<1%
11	Submitted to Asia Pacific International College Student Paper	<1%
12	Submitted to Pacific University Student Paper	<1%
13	Submitted to University of Sunderland Student Paper	<1%

14	www.jatit.org Internet Source	<1%
15	www.dnv.com Internet Source	<1%
16	link.springer.com Internet Source	<1%
17	Submitted to UNITEC Institute of Technology Student Paper	<1%
18	wrap.warwick.ac.uk Internet Source	<1%
19	Maniah, Meyliana, Achmad Nizar Hidayanto, Harjanto Prabowo, Ford Lumban Gaol. "The Trigger Factors and Constraints on e-Supply Chain Processes: A Systematic Literature Review", 2018 International Conference on Information Management and Technology (ICIMTech), 2018 Publication	<1%
20	Submitted to Chulalongkorn University Student Paper	<1%
21	Submitted to University of Wolverhampton Student Paper	<1%
22	www.ijser.org Internet Source	<1%

23	arxiv.org Internet Source	<1%
24	Quadri Noorulhasan Naveed, Naim Ahmad. "Critical Success Factors (CSFs) for Cloud-based E-Learning", International Journal of Emerging Technologies in Learning (iJET), 2019 Publication	<1%
25	Submitted to Ghana Technology University College Student Paper	<1%
26	Submitted to University of Warwick Student Paper	<1%
27	"Guide to Security Assurance for Cloud Computing", Springer Nature, 2015 Publication	<1%
28	dl.dropboxusercontent.com Internet Source	<1%
29	Submitted to Universiti Utara Malaysia Student Paper	<1%
30	Pardeshi, Vaishali H.. "Cloud Computing for Higher Education Institutes: Architecture, Strategy and Recommendations for Effective Adaptation", Procedia Economics and Finance, 2014. Publication	<1%

31	pdfs.semanticscholar.org Internet Source	<1%
32	journals.sagepub.com Internet Source	<1%
33	Submitted to Staffordshire University Student Paper	<1%
34	www.mii.lt Internet Source	<1%
35	Submitted to Nottingham Trent University Student Paper	<1%
36	Submitted to Universiti Teknologi Malaysia Student Paper	<1%
37	Nurul Hidayah Ab Rahman, Kim-Kwang Raymond Choo. "A survey of information security incident handling in the cloud", Computers & Security, 2015 Publication	<1%
38	Ivan Madjarov. "Cloud-based framework for mobile learning content adaptation", 2014 IEEE Global Engineering Education Conference (EDUCON), 2014 Publication	<1%
39	Lecture Notes in Business Information Processing, 2015. Publication	<1%

40	IFMBE Proceedings, 2009. Publication	<1%
41	Submitted to Glasgow Caledonian University Student Paper	<1%
42	Hamid reza Bazi, Alireza Hassanzadeh, Ali Moeini. "A comprehensive framework for cloud computing migration using Meta-synthesis approach", Journal of Systems and Software, 2017 Publication	<1%
43	Issa Nasser Salim Al-Ghatrifi. "Cloud computing: A key enabler for higher education in Sultanate of Oman", 2015 International Conference on Computer, Communications, and Control Technology (I4CT), 2015 Publication	<1%
44	Submitted to Rhodes University Student Paper	<1%
45	Submitted to Leeds Metropolitan University Student Paper	<1%


Exclude quotes On


Exclude matches Off


Exclude bibliography On


Risk Assessment on Cloud Computing for The Learning System in The Education Environment

PAGE 1


 **Article Error** You may need to use an article before this word. Consider using the article **the**.

 **Article Error** You may need to remove this article.


 **Article Error** You may need to use an article before this word.


 **Missing ","** You may need to place a comma after this word.


 **Article Error** You may need to use an article before this word. Consider using the article **the**.


 **Missing ","** You may need to place a comma after this word.

 **Article Error** You may need to use an article before this word. Consider using the article **the**.


 **Article Error** You may need to use an article before this word.


 **Missing ","** You may need to place a comma after this word.


 **Missing ","** You may need to place a comma after this word.


 **Missing ","** You may need to place a comma after this word.


PAGE 2

 **Missing ","** You may need to place a comma after this word.

 **Missing ","** You may need to place a comma after this word.

 **Article Error** You may need to use an article before this word. Consider using the article **the**.

 **P/V** You have used the passive voice in this sentence. Depending upon what you wish to emphasize the sentence, you may want to revise it using the active voice.

 **Missing ","** You may need to place a comma after this word.



Prep. You may be using the wrong preposition.



Article Error You may need to use an article before this word.



Missing "," You may need to place a comma after this word.



Missing "," You may need to place a comma after this word.



Missing "," You may need to place a comma after this word.

PAGE 3



Prep. You may be using the wrong preposition.



Missing "," You may need to place a comma after this word.



Article Error You may need to remove this article.



Missing "," You may need to place a comma after this word.



P/V You have used the passive voice in this sentence. Depending upon what you wish to emphasize the sentence, you may want to revise it using the active voice.



Missing "," You may need to place a comma after this word.

PAGE 4



Article Error You may need to remove this article.



Dup. You have typed two **identical words** in a row. You may need to delete one of them.



Article Error You may need to use an article before this word.

PAGE 5



Article Error You may need to use an article before this word. Consider using the article **the**.



Article Error You may need to use an article before this word. Consider using the article **the**.



Missing "," You may need to place a comma after this word.



Article Error You may need to use an article before this word.